





Post installation manual




17	2	ISO 7379 - 10 x 30	Hexagon Socket Head Shoulder Screw
16	-	DIN 7991 - M5x16	Hexagon Socket Countersunk Head Cap Screw
15	-	DIN 7991 - M5x10	Hexagon Socket Countersunk Head Cap Screw
14	1	DIN 7380 - M5x12	Socket Button Screw
13	4	DIN 933 - M8 x 30	Hex-Head Bolt
12	4	DIN 913 - M5 x 12	Hexagon Socket Set Screw
11	2	DIN 912 - M6x20x1x17,5	Cylinder Head Cap Screw
10	4	DIN 125 - 1A 8,4	Washer
9	2	DIN 125 - 1A 6,4	Washer
8	1	65-13	C-hinge 110deg
7	2	35-020	Isolator Ring M10
6	2	32-035	Custom Hex Nut
5	2	32-002	Flanged Bushing
4	1	26-027	Bracket Spring Plunger
3	1	21_65-09+3	Shim Plate
2	2	07-13_M16	Spring Plunger with Pin 68371.160.024
1	1	06_Skiffy-048-15	Stopper 048 1500 114 07
Item	Qty	Part number	Description

	De Vor Metaalbewerking B.V. Handelsweg 5 3481MJ Harmelen	Sheet: 1/3	
	Tel: +31 (0)348 40 16 36 info@devordoorsandhatches.nl www.devordoorsandhatches.nl		
	Document name: Wet c-Hinge__HL00	Scale: 1 : 3	
	Creation date: 7-10-2020	Sheet size: A4	
Revision:		Unit: MM	
Description:			
Weathertight C-Hinge Assembly			
EXCLUSIVE COPYRIGHT BY DE VOR METAALBEWERKING B.V. THIS DRAWING MAY NOT BE COPIED WITHOUT APPROVAL FROM DE VOR METAALBEWERKING B.V. OR BE HANDED TO ANY OTHER PARTY.			





Shim thickness variations




Shim thickness variations (Item 3)		
Part number	Description	Size
21_65-09+1	Shim Plate	155 x 75 x 1
21_65-09+1,5	Shim Plate	155 x 75 x 1,5
21_65-09+2	Shim Plate	155 x 75 x 2
21_65-09+3	Shim Plate	155 x 75 x 3

	De Vor Metaalbewerking B.V. Handelsweg 5 3481MJ Harmelen	Sheet: 2/3
	Tel: +31 (0)348 40 16 36 info@devordoorsandhatches.nl www.devordoorsandhatches.nl	
	Document name: Wet c-Hinge__HL00	Scale: 1 : 2
	Creation date: 7-10-2020	Sheet size: A4
Revision:	Unit: MM	
Description:		
Weathertight C-Hinge Assembly		
EXCLUSIVE COPYRIGHT BY DE VOR METAALBEWERKING B.V. THIS DRAWING MAY NOT BE COPIED WITHOUT APPROVAL FROM DE VOR METAALBEWERKING B.V. OR BE HANDED TO ANY OTHER PARTY		

Hinge variations



Wet. C-hinge variations (Item 8)		
Part number	Description	Opening degree
65-09	C-hinge 90deg	90
65-13	C-hinge 110deg	110
 De Vor Metaalbewerking B.V. Handelsweg 5 3481MJ Harmelen Tel: +31 (0)348 40 16 36 info@devordoorsandhatches.nl www.devordoorsandhatches.nl		Sheet: 3/3
		
Document name: Wet c-Hinge__HL00		Scale: 1 : 4
Creation date: 7-10-2020		Sheet size: A4
Revision:		Unit: MM
Description: Weathertight C-Hinge Assembly		
EXCLUSIVE COPYRIGHT BY DE VOR METAALBEWERKING B.V. THIS DRAWING MAY NOT BE COPIED WITHOUT APPROVAL FROM DE VOR METAALBEWERKING B.V. OR BE HANDED TO ANY OTHER PARTY		