



# Post installation manual






| 5    | 5   | DIN 7991 - M5 x 16 | Hexagon Socket Countersunk Head<br>Cap Screw |
|------|-----|--------------------|----------------------------------------------|
| 4    | 4   | DIN 7991 - M5 x 10 | Hexagon Socket Countersunk Head<br>Cap Screw |
| 3    | 1   | 25-045             | Isolator Strike Plate                        |
| 2    | 1   | 25-034             | Strike Plate RHR                             |
| 1    | 2   | 25-008             | Pocket                                       |
| Item | Qty | Part number        | Description                                  |

|                                                                                                                                                                                                                                                      |                                                                                       |                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------|
| <br>De Vor Metaalbewerking B.V.<br>Handelsweg 5<br>3481MJ Harmelen<br>Tel: +31 (0)348 40 16 36<br>info@devorddoorsandhatches.nl<br>www.devorddoorsandhatches.nl | Sheet:<br><b>1/3</b>                                                                  |                |
|                                                                                                                                                                                                                                                      |  |                |
| Document name: Wet dog Pocket_HL00                                                                                                                                                                                                                   |                                                                                       | Scale: 1 : 2   |
| Creation date: 8-10-2020                                                                                                                                                                                                                             |                                                                                       | Sheet size: A4 |
| Revision:                                                                                                                                                                                                                                            |                                                                                       | Unit: MM       |

## Description: Weathertight Strike Plate and Pocket Assembly

EXCLUSIVE COPYRIGHT BY DE VOR METAALBEWERKING B.V. THIS DRAWING MAY NOT BE COPIED WITHOUT APPROVAL FROM DE VOR METAALBEWERKING B.V. OR BE HANDED TO ANY OTHER PARTY

# Strike plate variations



## Strike plate

1. Push lock latch against strike plate
2. Select strike plate where the door is flush or inside the coaming (view AC).
3. Retain door by adjusting the gasket carrier (with the blocks) against the door and bolting it in place.
4. Remove blocks and place gasket.






| Strike plate variations (Item 3.1) |                  |              |            |
|------------------------------------|------------------|--------------|------------|
| Part number                        | Description      | Size         | Extra Size |
| 25-033                             | Strike Plate LHR | Catcher 19,5 | HOH 155    |
| 21_25-033_-1                       | Strike Plate LHR | Catcher 18,5 | HOH 155    |
| 21_25-033_-2                       | Strike Plate LHR | Catcher 17,5 | HOH 155    |
| 21_25-033_-3                       | Strike Plate LHR | Catcher 16,5 | HOH 155    |
| 25-034                             | Strike Plate RHR | Catcher 19,5 | HOH 155    |
| 21_25-034_-1                       | Strike Plate RHR | Catcher 18,5 | HOH 155    |
| 21_25-034_-2                       | Strike Plate RHR | Catcher 17,5 | HOH 155    |
| 21_25-034_-3                       | Strike Plate RHR | Catcher 16,5 | HOH 155    |

|                                                                                                                                                                                                                                                   |                |                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------|
|  De Vor Metaalbewerking B.V.<br>Handelsweg 5<br>3481MJ Harmelen<br>Tel: +31 (0)348 40 16 36<br>info@devorddoorsandhatches.nl<br>www.devorddoorsandhatches.nl |                | Sheet:<br><b>2/3</b> |
| Document name: Wet dog Pocket_HL00                                                                                                                                                                                                                | Scale: 1 : 12  |                      |
| Creation date: 8-10-2020                                                                                                                                                                                                                          | Sheet size: A4 |                      |
| Revision:                                                                                                                                                                                                                                         | Unit: MM       |                      |

## Weatheright Strike Plate and Pocket Assembly

EXCLUSIVE COPYRIGHT BY DE VOR METAALBEWERKING B.V. THIS DRAWING MAY NOT BE COPIED WITHOUT APPROVAL FROM DE VOR METAALBEWERKING B.V. OR BE HANDED TO ANY OTHER PARTY

# Pocket variations



## Pocket


1. Use a pocket where the door is 2mm recessed in the coaming when dogs are closed (view BB).

| Pocket variations (Item 2.1) |               |             |                   |
|------------------------------|---------------|-------------|-------------------|
| Part number                  | Description   | Size        | Extra Size        |
| 25-008                       | Pocket        | Catcher 6,5 | HOH 60,6 x B 27,3 |
| 21_25-008_RHR-3              | Pocket RHR -3 | Catcher 9,5 | HOH 60,6 x B 27,3 |
| 21_25-008_RHR-2              | Pocket RHR -2 | Catcher 8,5 | HOH 60,6 x B 27,3 |
| 21_25-008_RHR-1              | Pocket RHR -1 | Catcher 7,5 | HOH 60,6 x B 27,3 |
| 21_25-008_LHR-3              | Pocket LHR -3 | Catcher 3,5 | HOH 60,6 x B 27,3 |
| 21_25-008_LHR-2              | Pocket LHR -2 | Catcher 4,5 | HOH 60,6 x B 27,3 |
| 21_25-008_LHR-1              | Pocket LHR -1 | Catcher 5,5 | HOH 60,6 x B 27,3 |



De Vor Metaalbewerking B.V.  
Handelsweg 5  
3481MJ Harmelen  
Tel: +31 (0)348 40 16 36  
info@devorddoorsandhatches.nl  
www.devorddoorsandhatches.nl

Sheet:  
**3/3**



|                                    |                |
|------------------------------------|----------------|
| Document name: Wet dog Pocket_HL00 | Scale: 1 : 12  |
| Creation date: 8-10-2020           | Sheet size: A4 |
| Revision:                          | Unit: MM       |

Description:  
**Weatheright Strike Plate and Pocket Assembly**

EXCLUSIVE COPYRIGHT BY DE VOR METAALBEWERKING B.V. THIS DRAWING MAY NOT BE COPIED WITHOUT APPROVAL FROM DE VOR METAALBEWERKING B.V. OR BE HANDED TO ANY OTHER PARTY